

CITY OF AMADOR CITY

RESOLUTION NO. 363

**A RESOLUTION OF THE CITY OF AMADOR CITY
AMENDING CITY IMPROVEMENT STANDARDS**

WHEREAS, the City Improvement Standards do not contain standard details for creek crossing; and

WHEREAS, it is in the best interest of the City to ensure public health and safety to adopt a standard for overhead sewer line crossings of creeks; and

NOW, THEREFORE BE IT RESOLVED that Sewer Line Creek Crossing Detail attached is hereby adopted by the City Council and the City Clerk is hereby directed to include said detail in the City Improvement Standards.


PASSED AND ADOPTED, by the City Council of the City of Amador City, County of Amador, State of California on the 21st day of May, 1998, by the following vote:

AYES: Shaw, Bragstad, Goodin

NOES:

ABSTAIN:

ABSENT: McKune, Luxemburg




Lee Goodin, Mayor

ATTEST:



Berneice Horner




SECTION @ CREEK

PIPE ANCHOR SYSTEM APPROVED BY CITY



PVC SEWER LINE
PIPE



* AS REQUIRED TO ACCOMMODATE O.D.
OF SEWER LINE PIPE.

ALTERNATE 2

SEWER CONDUIT IN STEEL CASING. CASING
DIAMETER SIZED TO ACCOMMODATE O.D. OF
SEWER CONDUIT WALL THICKNESS SIZED
TO RESIST VERTICAL & LATERAL LOADS.

ALTERNATE 1

DIP IN WEB OF "I" BEAM

CREEK CROSSING DETAIL

NTS